



Mellmann A, Andersen PS, Bletz S, Friedrich AW, Kohl TA, Lilje B, Niemann S, Prior K, Rossen JW, Harmsen D. High interlaboratory reproducibility and accuracy of next-generation sequencing-based bacterial genotyping in a ring-trial. *J Clin Microbiol.* 2017, **55**: 908-13 [[PubMed](#)].

Chen Y, Luo Y, Pettengill J, Timme R, Melka D, Doyle M, Jackson A, Parish M, Hammack TS, Allard M, Brown EW, Strain EA. Singleton ST382, an emerging clonal group of *Listeria monocytogenes* associated with three multistate outbreaks linked to contaminated stone fruit, caramel apples and leafy green salad. *J Clin Microbiol.* 2017, **55**: 931-41 [[PubMed](#)].

Gohari IM, Kropinski AM, Weese SJ, Whitehead AE, Parreira VR, Boerlin P, Prescott JF. NetF-producing *Clostridium perfringens*: clonality and plasmid pathogenicity loci analysis. *Infect Genet Evol.* 2017, doi: 10.1016/j.meegid.2016.12.028 [[PubMed](#)].

Doyle CJ, Mazins A, Graham RM, Fang NX, Smith HV, Jennison AV. Sequence analysis of toxin gene-bearing *Corynebacterium diphtheriae* strains, Australia. *Emerg Infect Dis.* 2017, **23**: 105-7 [[PubMed](#)].

Deurenberg RH, Bathoorn E, Chlebowicz MA, Couto N, Ferdous M, Garia-Cobos S, Kooistra-Smid AM, Raangs EC, Rosema S, Veloo AC, Zhou K, Friedrich AW, Rossen JW. Application of next generation sequencing in clinical microbiology and infection prevention. *J Biotechnol.* 2016, **243**: 16-24 [[PubMed](#)].

Schwartbeck B, Birtel J, Treffon J, Langhanki L, Mellmann A, Kale D, Kahl J, Hirschhausen N, Neumann C, Lee JC, Götz F, Rohde H, Henke H, Küster P, Peters G, Kahl BC. Dynamic *in vivo* mutations within the *ica* operon during persistence of *Staphylococcus aureus* in the airways of cystic fibrosis patients. *PLoS Pathog.* 2016, **12**: e1006024 [[PubMed](#)].

Lynch T, Petkau A, Knox N, Graham M, Van Domselaar G. A primer on infectious disease bacterial genomics. *Clin Microbiol Rev.* 2016, **29**: 881–913.

Kluytmans-van den Bergh MF, Rossen JW, Bruijning-Verhagen PC, Bonten MJ, Friedrich AW, Vandenbroucke-Grauls CM, Willems RJ, Kluytmans JA, SoM study group. Whole genome multilocus sequence typing of extended-spectrum beta-lactamase-producing *Enterobacteriaceae*. *J Clin Microbiol.* 2016, **54**: 2919-27 [[PubMed](#)].

Mellmann A, Bletz S, Böking T, Kipp F, Becker K, Schultes A, Prior K, Harmsen D. Real-Time genome sequencing of resistant bacteria provides precision infection control in an institutional setting. *J Clin Microbiol.* 2016, **54**: 2874-81 [[PubMed](#)].

Oteo J, Pérez-Vázquez M, Bautista V, Ortega A, Zamarrón P, Saez D, Fernández-Romero S, Lara N, Ramiro R, Aracil B, Campos J, Spanish Antibiotic Resistance Surveillance Program Collaborating Group. The spread of KPC-producing *Enterobacteriaceae* in Spain: WGS analysis of the emerging high-risk clones of *Klebsiella pneumoniae* ST11/KPC-2, ST101/KPC-2 and ST512/KPC-3. *J Antimicrob Chemother.* 2016, **71**: 3392-9 [[PubMed](#)].

Chen Y, Gonzalez-Escalona N, Hammack TS, Allard M, Strain EA, Brown EW. Core genome multilocus sequence typing for the identification of globally distributed clonal groups and differentiation of outbreak strains of *Listeria monocytogenes*. *Appl Environ Microbiol.* 2016, **82**: 6258-72 [[PubMed](#)].

Willems S, Kampmeier S, Bletz S, Kossow A, Köck R, Kipp F, Mellmann A. Whole genome sequencing elucidates the epidemiology of nosocomial clusters of *Acinetobacter baumannii*. *J Clin Microbiol.* 2016, **54**: 2391-4 [[PubMed](#)].

Burckhardt F, Brion A, Lahm J, Koch HU, Prior K, Petzold M, Harmsen D, Lück C. Confirming Legionnaires' disease outbreak by genome-based method, Germany, 2012. *Emerg Infect Dis.* 2016, **22**: 1303-4 [[PubMed](#)].

Lahti E, Löfdahl M, Ågren J, Hansson I, Olsson Engvall E. Confirmation of a campylobacteriosis outbreak associated with chicken liver pâté using PFGE and WGS. *Zoonoses Public Health.* 2016, Jun 23. doi: 10.1111/zph.12272 [[PubMed](#)].

Hyden P, Pietzka A, Lennkh A, Murer A, Springer B, Blaschitz M, Indra A, Huhulescu S, Allerberger F, Ruppitsch W, Sensen CW. Whole genome sequence-based serogrouping of *Listeria monocytogenes* isolates. *J Biotechnol.* 2016, **235**: 181-6 [[PubMed](#)].

- Ugolotti E, Larghero P, Vanni I, Bandettini R, Tripodi G, Melioli G, Di Marco E, Raso A, Biassoni R.** Whole genome sequencing as standard practice for the analysis of clonality in outbreaks of methicillin-resistant *Staphylococcus aureus* in a paediatric setting. *J Hosp Infect.* 2016, **93**: 375-81 [[PubMed](#)].
- Graham RM, Doyle CJ, Jennison AV.** Epidemiological typing of *Neisseria gonorrhoeae* and detection of markers associated with antimicrobial resistance directly from urine samples using next generation sequencing. *Sex Transm Infect.* 2016, Mar 11. pii: sextrans-2015-052422 [[PubMed](#)].
- Taha MK, Claus H, Lappann M, Veyrier FJ, Otto A, Becher D, Deghmane AE, Frosch M, Hellenbrand W, Hong E, Parent du Châtelet I, Prior K, Harmsen D, Vogel U.** Evolutionary events associated with an outbreak of meningococcal disease in men who have sex with men. *PLoS One.* 2016, **11**: e0154047 [[PubMed](#)].
- Shore AC, Lazaris A, Kinnevey PM, Brennan OM, Brennan GI, O'Connell B, Feßler AT, Schwarz S, Coleman DC.** First report of *cfr*-carrying plasmids in the pandemic sequence type 22 methicillin-resistant *Staphylococcus aureus* staphylococcal cassette chromosome *mec* type IV clone. *Antimicrob Agents Chemother.* 2016, **60**: 3007-15 [[PubMed](#)].
- Holmes MA, Harrison EM, Fisher EA, Graham EM, Parkhill J, Foster G, Paterson GK.** Genomic analysis of companion rabbit *Staphylococcus aureus*. *PLoS One* 2016, **11**: e0151458 [[PubMed](#)].
- Strauß L, Ruffing U, Abdulla S, Alabi A, Akulenko R, Garrine M, Germann A, Grobusch MP, Helms V, Herrmann M, Kazimoto T, Kern W, Mandomando I, Peters G, Schaumburg F, von Müller L, Mellmann A.** Detecting *Staphylococcus aureus* virulence and resistance genes - a comparison of whole genome sequencing and DNA microarray technology. *J Clin Microbiol.* 2016, **54**: 1008-16 [[PubMed](#)].
- Kinnevey PM, Shore AC, Mac Aogáin M, Creamer E, Brennan GI, Humphreys H, Rogers TR, O'Connell B, Coleman DC.** Enhanced tracking of nosocomial transmission of endemic sequence type 22 methicillin-resistant *Staphylococcus aureus* type IV isolates among patients and environmental sites by use of whole-genome sequencing. *J Clin Microbiol.* 2016, **54**: 445-8 [[PubMed](#)].
- Ruppitsch W, Prager R, Halbedel S, Hyden P, Pietzka A, Huhulescu S, Lohr D, Schönberger K, Aichinger E, Hauri A, Stark K, Vygen S, Tietze E, Allerberger F, Wilking H.** Ongoing outbreak of invasive listeriosis, Germany, 2012 to 2015. *Euro Surveill.* 2015, **20(50)**: pii=30094 [[PubMed](#)].
- Mossong J, Decruyenaere F, Moris G, Ragimbeau C, Olinger CM, Johler S, Perrin M, Hau P, Weicherding P.** Investigation of a staphylococcal food poisoning outbreak combining case-control, traditional typing and whole genome sequencing methods, Luxembourg, June 2014. *Euro Surveill.* 2015, **20(45)**: pii=30059 [[PubMed](#)].
- de Been M, Pinholt M, Top J, Bletz S, Mellmann A, van Schaik W, Brouwer E, Rogers M, Kraat Y, Bonten M, Corander J, Westh H, Harmsen D, Willems RJ.** A core genome MLST scheme for high-resolution typing of *Enterococcus faecium*. *J Clin Microbiol.* 2015, **53**: 3788-97 [[PubMed](#)].
- Amissah NA, Chlebowicz MA, Ablordey A, Sabat AJ, Tetteh CS, Prah I, van der Werf TS, Friedrich AW, van Dijk JM, Rossen JW, Stienstra Y.** Molecular characterization of *Staphylococcus aureus* isolates transmitted between patients with Buruli ulcer. *PLoS Negl Trop Dis.* 2015, **11**: e0004049 [[PubMed](#)].
- Nyholm O, Halkilahti J, Wiklund G, Okeke U, Paulin L, Auvinen P, Haukka K, Siitonen A.** Comparative genomics and characterization of hybrid shigatoxigenic and enterotoxigenic *Escherichia coli* (STEC/ETEC) strains. *PLoS One.* 2015, **10**: e0135936 [[PubMed](#)].
- Ruppitsch W, Pietzka A, Prior K, Bletz S, Fernandez HL, Allerberger F, Harmsen D, Mellmann A.** Defining and evaluating a core genome MLST scheme for whole genome sequence-based typing of *Listeria monocytogenes*. *J Clin Microbiol.* 2015, **53**: 2869-76 [[PubMed](#)].
- Weterings V, Zhou K, Rossen JW, van Stenis D, Thewessen E, Kluytmans J, Veenemans J.** An outbreak of colistin-resistant *Klebsiella pneumoniae* carbapenemase-producing *Klebsiella pneumoniae* in the Netherlands (July to December 2013) with inter-institutional spread. *Eur J Clin Microbiol Infect Dis.* 2015, **34**: 1647-55 [[PubMed](#)].
- Moran-Gilad J, Prior K, Yakunin E, Harrison TG, Underwood A, Lazarovitch T, Valinsky L, Luck C, Krux F, Agmon V, Grotto I, Harmsen D.** Design and application of a core genome multilocus sequence typing scheme for investigation of Legionnaires' disease incidents. *Euro Surveill.* 2015, **20(14)**: pii=21186 [[PubMed](#)].
- Azarian T, Cook RL, Johnson JA, Guzman N, McCarter YS, Gomez N, Rathore MH, Morris JG, Salemi M.** Whole-genome sequencing for outbreak investigations of methicillin-resistant *Staphylococcus aureus* in

the neonatal intensive care unit: time for routine practice? *Infect Control Hosp Epidemiol*. 2015, 36: 777-85 [[PubMed](#)].

Antwerpen MH, Prior K, Mellmann A, Höppner S, Splettstoesser WD, Harmsen D. Rapid high resolution genotyping of *Francisella tularensis* by whole genome sequence comparison of annotated genes. *PLoS One*. 2015, 10: e0123298 [[PubMed](#)].

Bletz S, Mellmann A, Rothgänger J, Harmsen D. Ensuring backwards compatibility: traditional genotyping efforts in the era of whole genome sequencing. *Clin Microbiol Infect*. 2015, 21: 347.e1-4 [[PubMed](#)].

Toro M, Retamal P, Allard M, Brown EW, Evans P, Gonzalez-Escalona N. Draft genome sequences of 33 *Salmonella enterica* clinical and wildlife isolates from Chile. *Genome Announc*. 2015, 3: pii=e00054-15 [[PubMed](#)].

Lee Y, Kim BS, Chun J, Yong JH, Lee YS, Yoo JS, Yong D, Hong SG, D'Souza R, Thomson KS, Lee K, Chong Y. Clonality and resistome analysis of KPC-producing *Klebsiella pneumoniae* strain isolated in Korea using whole genome sequencing. *Biomed Res Int*. 2014, 2014: 352862 [[PubMed](#)].

Kohl TA, Diel R, Harmsen D, Rothgänger J, Walter KM, Merker M, Weniger T, Niemann S. Whole-genome-based *Mycobacterium tuberculosis* surveillance: a standardized, portable, and expandable approach. *J Clin Microbiol*. 2014, 52: 2479-86 [[PubMed](#)].

Leopold SR, Goering RV, Witten A, Harmsen D, Mellmann A. Bacterial whole-genome sequencing revisited: portable, scalable, and standardized analysis for typing and detection of virulence and antibiotic resistance genes. *J Clin Microbiol*. 2014, 52: 2365-70 [[PubMed](#)].

Wyres KL, Conway TC, Garg S, Queiroz C, Reumann M, Holt K, Rusu LI. WGS analysis and interpretation in clinical and public health microbiology laboratories: what are the requirements and how do existing tools compare? *Pathogens*. 2014, 3: 437-58 [[PubMed](#)].

Schmid D, Allerberger F, Huhulescu S, Pietzka A, Amar C, Kleta S, Prager R, Preußel K, Aichinger E, Mellmann A. Whole genome sequencing as a tool to investigate a cluster of seven cases of listeriosis in Austria and Germany, 2011-2013. *Clin Microbiol Infect*. 2014, 20: 431-6 [[PubMed](#)].

Jünemann S, Sedlazeck FJ, Prior K, Albersmeier A, John U, Kalinowski J, Mellmann A, Goesmann A, von Haeseler A, Stoye J, Harmsen D. Updating benchtop sequencing performance comparison. *Nat Biotechnol*. 2013, 31: 294-6 [[PubMed](#)].

First cgMLST Publication Ever (using BIGSdb)

Mellmann A, Harmsen D, Cummings CA, Zentz EB, Leopold SR, ..., Rothberg JM, Karch H. Prospective genomic characterization of the German enterohemorrhagic *Escherichia coli* O104:H4 outbreak by rapid next generation sequencing technology. *PLoS One*. 2011, 6: e22751 [[PubMed](#)].

March, 2017