

Publications since the year 2018 onward can be found via a Google Scholar search:  
<https://scholar.google.com/scholar?q=SeqSphere>

**Strauß L, Stegger M, Akpaka PE, Alabi A, Breurec S, Coombs G, Egyir B, Larsen AR, Laurent F, Monecke S, Peters G, Skov R, Strommenger B, Vandenesch F, Schaumburg F, Mellmann A.** Origin, evolution, and global transmission of community-acquired *Staphylococcus aureus* ST8. *Proc Natl Acad Sci U S A.* 2017, **114:** E10596-604 [PubMed].

**Ghanem M, Wang L, Zhang Y, Edwards S, Lu A, Ley D, El-Gazzar M.** Core genome multilocus sequence typing: a standardized approach for molecular typing of *Mycoplasma gallisepticum*. *J Clin Microbiol.* 2017, Dec 26;56(1). pii: e01145-17 [PubMed].

**van den Bunt G, Top J, Hordijk J, de Greeff SC, Mugnini-Gras L, Corander J, van Pelt W, Bonten MJM, Fluit AC, Willems RJL.** Intestinal carriage of ampicillin- and vancomycin-resistant *Enterococcus faecium* in humans, dogs and cats in the Netherlands. *J Antimicrob Chemother.* 2017, Dec 25. doi: 10.1093/jac/dkx455 [PubMed].

**Leistner R, Kola A, Gastmeier P, Krüger R, Hoppe PA, Schneider-Burrus S, Zuschneid I, Wischnewski N, Bender J, Layer F, Niebank M, Scheibenbogen C, Hanitsch LG.** Pyoderma outbreak among kindergarten families: Association with a Panton-Valentine leukocidin (PVL)-producing *S. aureus* strain. *PLoS One.* 2017, **12:** e0189961 [PubMed].

**Ågren J, Schäfer MO, Forsgren E.** Using whole genome sequencing to study American foulbrood epidemiology in honeybees. *PLoS One.* 2017, **12:** e0187924 [PubMed].

**Petzold M, Prior K, Moran-Gilad J, Harmsen D, Lück C.** Epidemiological information is key when interpreting whole genome sequence data - lessons learned from a large Legionella pneumophila outbreak in Warstein, Germany, 2013. *EuroSurveill.* 2017, 22(45) [PubMed].

**Kampmeier S, Pillukat MH, Pettke A, Kossow A, Idelevich EA, Mellmann A.** Evaluation of a *Stenotrophomonas maltophilia* bacteremia cluster in hematopoietic stem cell transplantation recipients using whole genome sequencing. *Antimicrob Resist Infect Control.* 2017, **6:** 115 [PubMed].

**Quainoo S, Coolen JPM, van Hujum SAFT, Huynen MA, Melchers WJG, van Schaik W, Wertheim HFL.** Whole-genome sequencing of bacterial pathogens: the future of nosocomial outbreak analysis. *Clin Microbiol Rev.* 2017, **30:** 1015-63, Review [PubMed].

**Eisenberger D, Carl A, Balsliemke J, Kämpf P, Nickel S, Schulze G, Valenza G.** Molecular characterization of extended-spectrum β-lactamase-producing *Escherichia coli* isolates from milk samples of dairy cows with mastitis in Bavaria, Germany. *Microb Drug Resist.* 2017, Sep 27 doi: 10.1089/mdr.2017.0182 [PubMed].

**Woksepp H, Ryberg A, Berglind L, Schön T, Söderman J.** Epidemiological characterization of a nosocomial outbreak of extended spectrum β-lactamase *Escherichia coli* ST-131 confirms the clinical value of core genome multilocus sequence typing. *APMIS.* 2017, **125:** 1117-24 [PubMed].

**Ugolotti E, Di Marco E, Bandettini R, Biassoni R.** Genomic characterization of a paediatric MRSA outbreak by next generation sequencing. *J Hosp Infect.* 2018, **98:** 155-60 [PubMed].

**Lazaris A, Coleman DC, Kearns AM, Pichon B, Kinnevey PM, Earls MR, Boyle B, O'Connell B, Brennan GI, Shore AC.** Novel multiresistance cfr plasmids in linezolid-resistant methicillin-resistant *Staphylococcus epidermidis* and vancomycin-resistant *Enterococcus faecium* (VRE) from a hospital outbreak: co-location of cfr and optrA in VRE. *J Antimicrob Chemother.* 2017, **72:** 3252-7 [PubMed].

**Kleta S, Hammerl JA, Dieckmann R, Malorny B, Borowiak M, Halbedel S, Prager R, Trost E, Flieger A, Wilking H, Vygen-Bonnet S, Busch U, Messelhäußer U, Horlacher S, Schönberger K, Lohr D, Aichinger E, Luber P, Hensel A, Al Dahouk S.** Molecular tracing to find source of protracted invasive Listeriosis outbreak, Southern Germany, 2012-2016. *Emerg Infect Dis.* 2017, **23:** 1680-3 [PubMed].

**Moran-Gilad J, Rokney A, Danino D, Ferdous M, Alsana F, Baum M, Dukhan L, Agmon V, Anuka E, Valinsky L, Yishay R, Grotto I, Rossen JWA, Gdalevich M.** Real-time genomic investigation underlying the public health response to a Shiga toxin-producing *Escherichia coli* O26:H11 outbreak in a nursery. *Epidemiol Infect.* 2017, 19:1-9 [PubMed].

**Weterings V, Bosch T, Witteveen S, Landman F, Schouls L, Kluytmans J.** Next-generation sequence analysis reveals transfer of methicillin resistance to a methicillin-susceptible *Staphylococcus aureus* strain that subsequently caused a methicillin-resistant *Staphylococcus aureus* outbreak: a descriptive study. *J Clin Microbiol.* 2017, **55:** 2808-16 [PubMed].

**Hoffmann M, Pettengill JB, Gonzalez-Escalona N, Miller J, Ayers SL, Zhao S, Allard MW, McDermott PF, Brown EW, Monday SR.** Comparative sequence analysis of multidrug-resistant IncA/C plasmids from *Salmonella enterica*. *Front Microbiol.* 2017, **8:** 1459 [PubMed].

**Lorenz SC, Gonzalez-Escalona N, Kotewicz ML, Fischer M, Kase JA.** Genome sequencing and comparative genomics of enterohemorrhagic *Escherichia coli* O145:H25 and O145:H28 reveal distinct evolutionary paths and marked variations in traits associated with virulence & colonization. *BMC Microbiol.* 2017, **17:** 183 [[PubMed](#)].

**Sandra Simon, Eva Trost, Jennifer Bender, Stephan Fuchs, Burkhard Malorny, Wolfgang Rabsch, Rita Prager, Erhard Tietze, Antje Flieger.** Evaluation of WGS based approaches for investigating a food-borne outbreak caused by *Salmonella enterica* serovar Derby in Germany. *Food Microbiol.* 2018, **71:** 46-54 [[PubMed](#)].

**Li Z, Pérez-Osorio A, Wang Y, Eckmann K, Glover WA, Allard MW, Brown EW, Chen Y.** Whole genome sequencing analyses of *Listeria monocytogenes* that persisted in a milkshake machine for a year and caused illnesses in Washington State. *BMC Microbiol.* 2017, **17:** 134 [[PubMed](#)].

**Pärn T, Dahl V, Lienemann T, Perevoscíkovs J, DE Jong B.** Multi-country outbreak of *Salmonella enteritidis* infection linked to the international ice hockey tournament. *Epidemiol Infect.* 2017, **145:** 2221-30 [[PubMed](#)].

**Higgins PG, Prior K, Harmsen D, Seifert H.** Development and evaluation of a core genome multilocus typing scheme for whole-genome sequence-based typing of *Acinetobacter baumannii*. *PLoS One.* 2017, **12:** e0179228 [[PubMed](#)].

**Park KH, Greenwood-Quaintance KE, Uhl JR, Cunningham SA, Chia N, Jeraldo PR, Sampathkumar P, Nelson H, Patel R.** Molecular epidemiology of *Staphylococcus aureus* bacteremia in a single large Minnesota medical center in 2015 as assessed using MLST, core genome MLST and spa typing. *PLoS One.* 2017, **12:** e0179003 [[PubMed](#)].

**Hammerum AM, Baig S, Kamel Y, Roer L, Pinholt M, Gumpert H, Holzknecht B, Røder B, Justesen US, Samulioniené J, Kjærsgaard M, Østergaard C, Holm A, Dzajic E, Søndergaard TS, Gaini S, Edquist P, Alm E, Lilje B, Westh H, Stegger M, Hasman H.** Emergence of vanA *Enterococcus faecium* in Denmark, 2005-15. *J Antimicrob Chemother.* 2017, **72:** 2184-90 [[PubMed](#)].

**Bosch T, Lutgens SPM, Hermans MHA, Wever PC, Schneeberger PM, Renders NHM, Leenders ACAP, Kluytmans JAJW, Schoffelen A, Notermans D, Witteveen S, Bathoorn E, Schouls LM.** An outbreak of NDM-1 producing *Klebsiella pneumoniae* in a Dutch hospital with interspecies transfer of the resistance plasmid and unexpected occurrence in unrelated healthcare centers. *J Clin Microbiol.* 2017, **55:** 2380- 90 [[PubMed](#)].

**Kampmeier S, Knaack D, Kossow A, Willems S, Schliemann C, Berdel WE, Kipp F, Mellmann A.** Weekly screening supports terminating nosocomial transmissions of vancomycin-resistant enterococci on an oncologic ward - a retrospective analysis. *Antimicrob Resist Infect Control.* 2017, **6:** 48 [[PubMed](#)].

**Cunningham SA, Chia N, Jeraldo PR, Quest DJ, Johnson JA, Boxrud DJ, Taylor AJ, Chen J, Jenkins GD, Drucker TM, Nelson H, Patel R.** Comparison of two whole-genome sequencing methods for analysis of three methicillin-resistant *Staphylococcus aureus* outbreaks. *J Clin Microbiol.* 2017, **55:** 1946-53 [[PubMed](#)].

**Lahti E, Rehn M, Ockborn G, Hansson I, Ågren J, Engvall EO, Jernberg C.** Outbreak of campylobacteriosis following a dairy farm visit: confirmation by genotyping. *Foodborne Pathog Dis.* 2017, **14:** 326-32 [[PubMed](#)].

**Gonzalez-Escalona N, Jolley KA, Reed E, Martinez-Urtaza J.** Defining a core genome multilocus sequence typing scheme for the global epidemiology of *Vibrio parahaemolyticus*. *J Clin Microbiol.* 2017, **55:** 1682-97 [[PubMed](#)].

**Tang P, Croxen MA, Hasan MR, Hsiao WW, Hoang LM.** Infection control in the new age of genomic epidemiology. *Am J Infect Control.* 2017, **45:** 170-9 Review [[PubMed](#)].

**Xu F, Gonzalez-Escalona N, Haendiges J, Myers RA, Ferguson J, Stiles T, Hickey E, Moore M, Hickey JM, Schillaci C, Mank L, DeRosia-Banick K, Matluk N, Robbins A, Sebra RP, Cooper VS, Jones SH, Whistler CA.** Sequence type 631 *Vibrio parahaemolyticus*, an emerging foodborne pathogen in North America. *J Clin Microbiol.* 2017, **5:** 645-8 [[PubMed](#)].

**Sabat AJ, Hermelijn SM, Akkerboom V, Juliana A, Degener JE, Grundmann H, Friedrich AW.** Complete-genome sequencing elucidates outbreak dynamics of CA-MRSA USA300 (ST8-spa t008) in an academic hospital of Paramaribo, Republic of Suriname. *Sci Rep.* 2017, **7:** 41050 [[PubMed](#)].

**Piso RJ, Käch R, Pop R, Zillig D, Schibli U, Bassetti S, Meinel D, Egli A.** A cross-sectional study of colonization rates with methicillin-resistant *Staphylococcus aureus* (MRSA) and extended-spectrum beta-lactamase (ESBL) and carbapenemase-producing *Enterobacteriaceae* in four Swiss refugee centres. *PLoS One.* 2017, **12:** e0170251 [[PubMed](#)].

**Souza RD, Pinto NA, Hwang I, Younjee H, Cho Y, Kim H, Yong D, Choi J, Lee K, Chong Y.** Molecular epidemiology and resistome analysis of multidrug-resistant ST11 *Klebsiella pneumoniae* strain containing multiple copies of extended-spectrum β-lactamase genes using whole-genome sequencing. *New Microbiol.* 2017, **40:** 38-44 [[PubMed](#)].

**Mellmann A, Andersen PS, Bletz S, Friedrich AW, Kohl TA, Lilje B, Niemann S, Prior K, Rossen JW, Harmsen D.** High interlaboratory reproducibility and accuracy of next-generation sequencing-based bacterial genotyping in a ring-trial. *J Clin Microbiol.* 2017, **55:** 908-13 [[PubMed](#)].

**Chen Y, Luo Y, Pettengill J, Timme R, Melka D, Doyle M, Jackson A, Parish M, Hammack TS, Allard M, Brown EW, Strain EA.** Singleton ST382, an emerging clonal group of *Listeria monocytogenes* associated with three multistate outbreaks linked to contaminated stone fruit, caramel apples and leafy green salad. *J Clin Microbiol.* 2017, **55:** 931-41 [[PubMed](#)].

**Gohari IM, Kropinski AM, Weese SJ, Whitehead AE, Parreira VR, Boerlin P, Prescott JF.** NetF-producing *Clostridium perfringens*: clonality and plasmid pathogenicity loci analysis. *Infect Genet Evol.* 2017, **49**: 32-8 [[PubMed](#)].

**Doyle CJ, Mazins A, Graham RM, Fang NX, Smith HV, Jennison AV.** Sequence analysis of toxin gene-bearing *Corynebacterium diphtheriae* strains, Australia. *Emerg Infect Dis.* 2017, **23**: 105-7 [[PubMed](#)].

**Deurenberg RH, Bathoorn E, Chlebowicz MA, Couto N, Ferdous M, Garía-Cobos S, Kooistra-Smid AM, Raangs EC, Rosema S, Veloo AC, Zhou K, Friedrich AW, Rossen JW.** Application of next generation sequencing in clinical microbiology and infection prevention. *J Biotechnol.* 2016, **243**: 16-24 [[PubMed](#)].

**Schwartbeck B, Birtel J, Treffon J, Langhanki L, Mellmann A, Kale D, Kahl J, Hirschhausen N, Neumann C, Lee JC, Götz F, Rohde H, Henke H, Küster P, Peters G, Kahl BC.** Dynamic *in vivo* mutations within the ica operon during persistence of *Staphylococcus aureus* in the airways of cystic fibrosis patients. *PLoS Pathog.* 2016, **12**: e1006024 [[PubMed](#)].

**Lynch T, Petkau A, Knox N, Graham M, Van Domselaar G.** A primer on infectious disease bacterial genomics. *Clin Microbiol Rev.* 2016, **29**: 881–913 Review [[PubMed](#)].

**Kluytmans-van den Bergh MF, Rossen JW, Bruijning-Verhagen PC, Bonten MJ, Friedrich AW, Vandenbroucke-Grauls CM, Willems RJ, Kluytmans JA, SoM study group.** Whole genome multilocus sequence typing of extended-spectrum beta-lactamase-producing *Enterobacteriaceae*. *J Clin Microbiol.* 2016, **54**: 2919-27 [[PubMed](#)].

**Mellmann A, Blez S, Böking T, Kipp F, Becker K, Schultes A, Prior K, Harmsen D.** Real-Time genome sequencing of resistant bacteria provides precision infection control in an institutional setting. *J Clin Microbiol.* 2016, **54**: 2874-81 [[PubMed](#)].

**Oteo J, Pérez-Vázquez M, Bautista V, Ortega A, Zamarrón P, Saez D, Fernández-Romero S, Lara N, Ramiro R, Aracil B, Campos J, Spanish Antibiotic Resistance Surveillance Program Collaborating Group.** The spread of KPC-producing *Enterobacteriaceae* in Spain: WGS analysis of the emerging high-risk clones of *Klebsiella pneumoniae* ST11/KPC-2, ST101/KPC-2 and ST512/KPC-3. *J Antimicrob Chemother.* 2016, **71**: 3392-9 [[PubMed](#)].

**Chen Y, Gonzalez-Escalona N, Hammack TS, Allard M, Strain EA, Brown EW.** Core genome multilocus sequence typing for the identification of globally distributed clonal groups and differentiation of outbreak strains of *Listeria monocytogenes*. *Appl Environ Microbiol.* 2016, **82**: 6258-72 [[PubMed](#)].

**Willems S, Kampmeier S, Blez S, Kossow A, Köck R, Kipp F, Mellmann A.** Whole genome sequencing elucidates the epidemiology of nosocomial clusters of *Acinetobacter baumannii*. *J Clin Microbiol.* 2016, **54**: 2391-4 [[PubMed](#)].

**Burckhardt F, Brion A, Lahm J, Koch HU, Prior K, Petzold M, Harmsen D, Lück C.** Confirming Legionnaires' disease outbreak by genome-based method, Germany, 2012. *Emerg Infect Dis.* 2016, **22**: 1303-4 [[PubMed](#)].

**Lahti E, Löfdahl M, Ågren J, Hansson I, Olsson Engvall E.** Confirmation of a campylobacteriosis outbreak associated with chicken liver pâté using PFGE and WGS. *Zoonoses Public Health.* 2016, Jun 23. doi: 10.1111/zph.12272 [[PubMed](#)].

**Hyden P, Pietzka A, Lennkh A, Murer A, Springer B, Blaschitz M, Indra A, Huhulescu S, Allerberger F, Ruppitsch W, Sensen CW.** Whole genome sequence-based serogrouping of *Listeria monocytogenes* isolates. *J Biotechnol.* 2016, **235**: 181-6 [[PubMed](#)].

**Ugolotti E, Larghero P, Vanni I, Bandettini R, Tripodi G, Melioli G, Di Marco E, Raso A, Biassoni R.** Whole genome sequencing as standard practice for the analysis of clonality in outbreaks of meticillin-resistant *Staphylococcus aureus* in a paediatric setting. *J Hosp Infect.* 2016, **93**: 375-81 [[PubMed](#)].

**Graham RM, Doyle CJ, Jennison AV.** Epidemiological typing of *Neisseria gonorrhoeae* and detection of markers associated with antimicrobial resistance directly from urine samples using next generation sequencing. *Sex Transm Infect.* 2016, Mar 11. pii: sextrans-2015-052422 [[PubMed](#)].

**Taha MK, Claus H, Lappann M, Veyrier FJ, Otto A, Becher D, Deghmane AE, Frosch M, Hellenbrand W, Hong E, Parent du Châtelet I, Prior K, Harmsen D, Vogel U.** Evolutionary events associated with an outbreak of meningococcal disease in men who have sex with men. *PLoS One.* 2016, **11**: e0154047 [[PubMed](#)].

**Shore AC, Lazaris A, Kinnevey PM, Brennan OM, Brennan GI, O'Connell B, Feßler AT, Schwarz S, Coleman DC.** First report of *cfr*-carrying plasmids in the pandemic sequence type 22 methicillin-resistant *Staphylococcus aureus* staphylococcal cassette chromosome *mec* type IV clone. *Antimicrob Agents Chemother.* 2016, **60**: 3007-15 [[PubMed](#)].

**Holmes MA, Harrison EM, Fisher EA, Graham EM, Parkhill J, Foster G, Paterson GK.** Genomic analysis of companion rabbit *Staphylococcus aureus*. *PLoS One* 2016, **11**: e0151458 [[PubMed](#)].

**Strauß L, Ruffing U, Abdulla S, Alabi A, Akulenko R, Garrine M, Germann A, Grobusch MP, Helms V, Herrmann M, Kazimoto T, Kern W, Mandomando I, Peters G, Schaumburg F, von Müller L, Mellmann A.** Detecting *Staphylococcus aureus* virulence and resistance genes - a comparison of whole genome sequencing and DNA microarray technology. *J Clin Microbiol.* 2016, **54**: 1008-16 [[PubMed](#)].

**Kinnevey PM, Shore AC, Mac Aogáin M, Creamer E, Brennan GI, Humphreys H, Rogers TR, O'Connell B, Coleman DC.** Enhanced tracking of nosocomial transmission of endemic sequence type 22 methicillin-resistant *Staphylococcus aureus* type IV isolates among patients and environmental sites by use of whole-genome sequencing. *J Clin Microbiol.* 2016, **54**: 445-8 [[PubMed](#)].

Ruppitsch W, Prager R, Halbedel S, Hyden P, Pietzka A, Huhulescu S, Lohr D, Schönberger K, Aichinger E, Hauri A, Stark K, Vygen S, Tietze E, Allerberger F, Wilking H. Ongoing outbreak of invasive listeriosis, Germany, 2012 to 2015. *Euro Surveill.* 2015, **20**(50): pii=30094 [PubMed].

**Mossong J, Decruyenaere F, Moris G, Ragimbeau C, Olinger CM, Johler S, Perrin M, Hau P, Weicherding P.** Investigation of a staphylococcal food poisoning outbreak combining case-control, traditional typing and whole genome sequencing methods, Luxembourg, June 2014. *Euro Surveill.* 2015, **20**(45): pii=30059 [PubMed].

**de Been M, Pinholt M, Top J, Bletz S, Mellmann A, van Schaik W, Brouwer E, Rogers M, Kraat Y, Bonten M, Corander J, Westh H, Harmsen D, Willems RJ.** A core genome MLST scheme for high-resolution typing of *Enterococcus faecium*. *J Clin Microbiol.* 2015, **53**: 3788-97 [PubMed].

**Amissah NA, Chlebowicz MA, Ablorodey A, Sabat AJ, Tetteh CS, Prah I, van der Werf TS, Friedrich AW, van Dijk JM, Rossen JW, Stienstra Y.** Molecular characterization of *Staphylococcus aureus* isolates transmitted between patients with Buruli ulcer. *PLoS Negl Trop Dis.* 2015, **11**: e0004049 [PubMed].

**Nyholm O, Halkilahti J, Wiklund G, Okeke U, Paulin L, Auvinen P, Haukka K, Siitonen A.** Comparative genomics and characterization of hybrid shigatoxigenic and enterotoxigenic *Escherichia coli* (STEC/ETEC) strains. *PLoS One.* 2015, **10**: e0135936 [PubMed].

**Ruppitsch W, Pietzka A, Prior K, Bletz S, Fernandez HL, Allerberger F, Harmsen D, Mellmann A.** Defining and evaluating a core genome MLST scheme for whole genome sequence-based typing of *Listeria monocytogenes*. *J Clin Microbiol.* 2015, **53**: 2869-76 [PubMed].

**Weterings V, Zhou K, Rossen JW, van Stenis D, Thewessen E, Kluytmans J, Veenemans J.** An outbreak of colistin-resistant *Klebsiella pneumoniae* carbapenemase-producing *Klebsiella pneumoniae* in the Netherlands (July to December 2013) with inter-institutional spread. *Eur J Clin Microbiol Infect Dis.* 2015, **34**: 1647-55 [PubMed].

**Moran-Gilad J, Prior K, Yakunin E, Harrison TG, Underwood A, Lazarovitch T, Valinsky L, Luck C, Krux F, Agmon V, Grotto I, Harmsen D.** Design and application of a core genome multilocus sequence typing scheme for investigation of Legionnaires' disease incidents. *Euro Surveill.* 2015, **20**(14): pii=21186 [PubMed].

**Azarian T, Cook RL, Johnson JA, Guzman N, McCarter YS, Gomez N, Rathore MH, Morris JG, Salemi M.** Whole-genome sequencing for outbreak investigations of methicillin-resistant *Staphylococcus aureus* in the neonatal intensive care unit: time for routine practice? *Infect Control Hosp Epidemiol.* 2015, **36**: 777-85 [PubMed].

**Antwerpen MH, Prior K, Mellmann A, Höppner S, Splettstoesser WD, Harmsen D.** Rapid high resolution genotyping of *Francisella tularensis* by whole genome sequence comparison of annotated genes. *PLoS One.* 2015, **10**: e0123298 [PubMed].

**Bletz S, Mellmann A, Rothgänger J, Harmsen D.** Ensuring backwards compatibility: traditional genotyping efforts in the era of whole genome sequencing. *Clin Microbiol Infect.* 2015, **21**: 347.e1-4 [PubMed].

**Lee Y, Kim BS, Chun J, Yong JH, Lee YS, Yoo JS, Yong D, Hong SG, D'Souza R, Thomson KS, Lee K, Chong Y.** Clonality and resistome analysis of KPC-producing *Klebsiella pneumoniae* strain isolated in Korea using whole genome sequencing. *Biomed Res Int.* 2014, **2014**: 352862 [PubMed].

**Kohl TA, Diel R, Harmsen D, Rothgänger J, Walter KM, Merker M, Weniger T, Niemann S.** Whole-genome-based *Mycobacterium tuberculosis* surveillance: a standardized, portable, and expandable approach. *J Clin Microbiol.* 2014, **52**: 2479-86 [PubMed].

**Leopold SR, Goering RV, Witten A, Harmsen D, Mellmann A.** Bacterial whole-genome sequencing revisited: portable, scalable, and standardized analysis for typing and detection of virulence and antibiotic resistance genes. *J Clin Microbiol.* 2014, **52**: 2365-70 [PubMed].

**Wyres KL, Conway TC, Garg S, Queiroz C, Reumann M, Holt K, Rusu LI.** WGS analysis and interpretation in clinical and public health microbiology laboratories: what are the requirements and how do existing tools compare? *Pathogens.* 2014, **3**: 437-58 Review [PubMed].

**Schmid D, Allerberger F, Huhulescu S, Pietzka A, Amar C, Kleta S, Prager R, Preußel K, Aichinger E, Mellmann A.** Whole genome sequencing as a tool to investigate a cluster of seven cases of listeriosis in Austria and Germany, 2011-2013. *Clin Microbiol Infect.* 2014, **20**: 431-6 [PubMed].

**Jünemann S, Sedlazeck FJ, Prior K, Albersmeier A, John U, Kalinowski J, Mellmann A, Goesmann A, von Haeseler A, Stoye J, Harmsen D.** Updating benchtop sequencing performance comparison. *Nat Biotechnol.* 2013, **31**: 294-6 [PubMed].

## First cgMLST Publication Ever (using BIGSdb)

**Mellmann A, Harmsen D, Cummings CA, Zentz EB, Leopold SR, ..., Rothberg JM, Karch H.** Prospective genomic characterization of the German enterohemorrhagic *Escherichia coli* O104:H4 outbreak by rapid next generation sequencing technology. *PLoS One.* 2011, **6**: e22751 [PubMed].

27<sup>th</sup> December, 2017